



III. PREVALENCE OF USE BY RACE/ETHNICITY

Prevalence Rates by Race/Ethnicity: Lifetime, Annual, Monthly, Daily and Special Use

• Grade 6	90
• Grade 7	94
• Grade 8	98
• Grade 9	102
• Grade 10	106
• Grade 11	110
• Grade 12	114

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.2 *	13.9 *	12.5 *	10.6	9.8
Cigars	4.1	5.3	6.7 *	4.8	4.5
Pipe	1.1	1.5	1.4	1.6	1.2
Smokeless Tobacco	2.5	1.2 *	2.6	2.6	2.5
Alcohol	20.9	25.4 *	25.5 *	19.4 *	21.2
Marijuana	2.0 *	6.8 *	4.1 *	2.8	2.5
Cocaine	0.3	0.2	1.1 *	0.5	0.4
Crack	0.4	0.3	1.0 *	0.9 *	0.5
Inhalants	5.4	7.8 *	5.6	5.5	5.6
Amphetamines	0.3	0.1	0.9 *	0.6 *	0.4
Methamphetamines	0.3	0.2	0.8 *	0.6 *	0.4
Ritalin/Adderall	0.8	0.8	0.8	1.4 *	0.9
Tranquilizers	3.4	4.9	4.0	4.3	3.6
Narcotics	0.7	0.5	1.3 *	1.0	0.8
Psychedelics#	0.3 *	0.7	1.0 *	0.9 *	0.5
LSD	0.2	0.3	0.9 *	0.6 *	0.3
Others	0.2	0.3	0.7 *	0.5 *	0.3
Heroin	0.2	0.3	0.8 *	0.5	0.3
Steroids	0.6	0.8	0.8	0.8	0.6
Injected drugs	0.5 *	0.8	1.8 *	1.0	0.7
MDMA	0.2	0.0	0.8 *	0.5 *	0.2
Rohypnol	0.1 *	0.0	0.8 *	0.5 *	0.2
GHB	0.1	0.3	0.4 *	0.2	0.2
Over the counter drugs	4.1	3.5	4.3	3.9	4.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	4.8	6.7 *	6.7 *	4.8	5.0
Cigars	2.8	3.6	4.6 *	3.1	3.0
Pipe	0.9	1.0	1.3	1.4	1.0
Smokeless Tobacco	1.7	1.4	2.1	1.9	1.7
Alcohol	14.3	17.5 *	18.9 *	13.0 *	14.5
Marijuana	1.6 *	5.0 *	3.4 *	2.2	2.0
Cocaine	0.2	0.2	0.9 *	0.5	0.3
Crack	0.3	0.6	1.0 *	0.6	0.4
Inhalants	3.7	5.1	3.9	4.1	3.8
Amphetamines	0.3	0.3	0.8 *	0.4	0.3
Methamphetamines	0.2 *	0.5	0.9 *	0.5 *	0.3
Ritalin/Adderall	0.5	0.3	0.6	0.8	0.5
Tranquilizers	2.4	3.5	2.9	3.2	2.6
Narcotics	0.5	0.3	1.1 *	0.7	0.6
Psychedelics#	0.5	0.7	1.1 *	1.0 *	0.7
LSD	0.1 *	0.6	0.9 *	0.5 *	0.3
Others	0.4	0.1	0.8	0.7	0.5
Heroin	0.1 *	0.3	0.8 *	0.4	0.2
Steroids	0.4	0.6	0.6	0.5	0.4
Injected drugs	0.3 *	0.9	1.4 *	0.9 *	0.5
MDMA	0.1	0.0	0.6 *	0.5 *	0.2
Rohypnol	0.1 *	0.2	0.9 *	0.4	0.2
GHB	0.1	0.2	0.4 *	0.2	0.1
Over the counter drugs	3.4	3.3	3.3	3.3	3.3

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	2.3	3.9 *	4.0 *	2.7	2.6
Cigars	1.4	1.9	2.3 *	1.7	1.5
Pipe	0.5	0.9	1.2 *	0.6	0.6
Smokeless Tobacco	0.9	0.7	1.3	1.1	1.0
Alcohol	5.9	9.5 *	8.2 *	6.6	6.3
Marijuana	1.0 *	3.2 *	2.1 *	1.4	1.3
Cocaine	0.2	0.2	0.5	0.3	0.2
Crack	0.2	0.2	0.6 *	0.4	0.3
Inhalants	2.2	4.1 *	2.2	2.4	2.3
Amphetamines	0.2	0.2	0.5 *	0.4	0.2
Methamphetamines	0.1	0.2	0.5 *	0.4 *	0.2
Ritalin/Adderall	0.3	0.3	0.5	0.5	0.4
Tranquilizers	1.3	1.9	1.6	1.9 *	1.4
Narcotics	0.3	0.0	0.8 *	0.4	0.3
Psychedelics#	0.1 *	0.5	0.7 *	0.4 *	0.2
LSD	0.1 *	0.5	0.5 *	0.4 *	0.2
Others	0.1	0.0	0.5 *	0.2	0.1
Heroin	0.1 *	0.1	0.5 *	0.4 *	0.2
Steroids	0.2	0.5	0.4	0.3	0.2
Injected drugs	0.2 *	0.5	1.0 *	0.4	0.3
MDMA	0.1 *	0.0	0.3 *	0.4 *	0.1
Rohypnol	0.0	0.0	0.3 *	0.2 *	0.1
GHB	0.0 *	0.2	0.4 *	0.1	0.1
Over the counter drugs	2.3	2.3	2.3	2.4	2.3

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

6th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	0.8	1.2	1.9 *	1.0	0.9
1/2+ Pack per Day	0.3	0.8	1.2 *	0.5	0.4
CIGARS					
	0.1	0.0	0.3	0.3	0.2
SMOKELESS TOBACCO					
	0.2	0.0	0.2	0.2	0.2
ALCOHOL					
Daily Use	0.2	0.1	0.7 *	0.6 *	0.3
Binge Drinking	3.6 *	8.6 *	7.7 *	4.5	4.2
MARIJUANA					
	0.1	0.5	0.5 *	0.2	0.2

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	15.4 *	19.5 *	22.3 *	17.7	16.4
Cigars	7.9	8.5	12.2 *	8.6	8.3
Pipe	2.6	2.5	3.8 *	3.6 *	2.8
Smokeless Tobacco	4.4	2.4 *	4.1	4.8	4.4
Alcohol	29.1	33.2 *	38.6 *	28.1 *	29.8
Marijuana	5.6 *	12.6 *	10.0 *	6.9	6.4
Cocaine	1.0	1.4	2.8 *	1.2	1.2
Crack	1.1	1.4	2.7 *	1.4	1.3
Inhalants	7.3	8.2	9.1 *	7.4	7.5
Amphetamines	1.1	1.4	1.7 *	0.9	1.1
Methamphetamines	0.8	0.8	1.9 *	1.1	0.9
Ritalin/Adderall	1.8	1.6	2.8 *	1.9	1.9
Tranquilizers	5.3	5.7	7.4 *	5.5	5.5
Narcotics	2.1	2.0	2.7	1.9	2.1
Psychedelics#	1.1	1.3	2.3 *	1.4	1.3
LSD	0.9	0.8	1.9 *	1.1	1.0
Others	0.5	0.9	1.3 *	0.8	0.6
Heroin	0.8	1.0	2.0 *	1.0	0.9
Steroids	0.9 *	1.3	1.8 *	1.8 *	1.1
Injected drugs	1.2	1.6	2.2 *	1.6	1.4
MDMA	0.8	1.3	1.6 *	0.8	0.9
Rohypnol	0.5	0.2	1.0 *	0.5	0.5
GHB	0.2	0.3	0.7 *	0.6	0.3
Over the counter drugs	6.1	6.9	7.7 *	6.6	6.4

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.5	10.4	12.9 *	10.7	9.9
Cigars	5.7	6.5	8.4 *	6.1	6.0
Pipe	2.1	1.9	3.0 *	2.6	2.2
Smokeless Tobacco	3.4	1.9 *	3.7	3.9	3.5
Alcohol	22.1	27.1 *	29.5 *	20.8 *	22.6
Marijuana	4.4 *	9.4 *	8.7 *	5.0	5.0
Cocaine	0.7	0.8	2.4 *	0.8	0.9
Crack	0.9	0.8	2.2 *	0.9	1.0
Inhalants	5.0	5.9	6.4 *	4.5	5.0
Amphetamines	0.9	1.3	1.2	0.7	0.9
Methamphetamines	0.6	0.7	1.2 *	0.6	0.6
Ritalin/Adderall	1.3	1.4	2.2 *	1.2	1.3
Tranquilizers	3.9	4.6	5.1 *	3.7	4.0
Narcotics	1.5	1.5	1.7	1.2	1.5
Psychedelics#	1.1	0.9	1.7 *	1.1	1.1
LSD	0.6	0.5	1.5 *	0.7	0.7
Others	0.7	0.8	0.9	0.7	0.7
Heroin	0.5	0.8	1.3 *	0.6	0.6
Steroids	0.7	1.1	1.4 *	1.2 *	0.8
Injected drugs	0.9	1.3	2.0 *	1.1	1.0
MDMA	0.6	0.8	0.9	0.4	0.6
Rohypnol	0.4	0.3	1.0 *	0.5	0.5
GHB	0.2	0.2	0.9 *	0.3	0.3
Over the counter drugs	4.8	5.6	6.4 *	4.7	4.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	5.1	5.8	7.1 *	6.4 *	5.4
Cigars	3.1	3.5	4.8 *	3.6	3.3
Pipe	1.2	1.4	2.1 *	1.7	1.3
Smokeless Tobacco	2.0	0.9 *	2.4	2.3	2.0
Alcohol	10.8	13.8 *	15.0 *	10.6	11.2
Marijuana	2.8 *	5.6 *	6.3 *	3.3	3.2
Cocaine	0.5	0.7	1.7 *	0.6	0.6
Crack	0.5	0.7	1.7 *	0.6	0.6
Inhalants	2.8	4.1	4.0 *	2.7	3.0
Amphetamines	0.5	1.3 *	1.0 *	0.5	0.6
Methamphetamines	0.3	0.3	0.9 *	0.4	0.4
Ritalin/Adderall	0.8	1.0	1.3 *	0.9	0.8
Tranquilizers	2.3	2.8	2.7	2.4	2.3
Narcotics	0.9	0.5	1.2	0.7	0.8
Psychedelics#	0.5	0.3	0.9	0.6	0.6
LSD	0.4	0.1	0.9 *	0.5	0.4
Others	0.2	0.3	0.6 *	0.3	0.3
Heroin	0.4	0.6	1.2 *	0.5	0.5
Steroids	0.4	0.6	1.2 *	0.9 *	0.5
Injected drugs	0.5	0.7	1.4 *	0.6	0.6
MDMA	0.4	0.3	0.8 *	0.4	0.4
Rohypnol	0.3	0.2	0.7 *	0.4	0.3
GHB	0.2	0.2	0.7 *	0.3	0.2
Over the counter drugs	3.4	3.0	4.7 *	3.3	3.5

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

7th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	2.2	2.4	2.8	2.9 *	2.3
1/2+ Pack per Day	0.9	1.1	1.5 *	1.4 *	1.0
CIGARS	0.7	0.9	0.7	0.6	0.7
SMOKELESS TOBACCO	0.4	0.2	0.5	0.4	0.4
ALCOHOL					
Daily Use	0.7	1.3	1.4 *	0.7	0.8
Binge Drinking	6.8 *	10.6 *	12.2 *	7.8	7.5
MARIJUANA	0.6	1.5 *	1.4 *	0.6	0.7

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	24.1 *	29.7 *	32.3 *	28.5 *	25.5
Cigars	13.4 *	12.7	19.3 *	16.3 *	14.2
Pipe	5.2	3.3 *	7.8 *	6.6 *	5.5
Smokeless Tobacco	8.1	3.4 *	7.2	8.4	7.9
Alcohol	43.0 *	48.8 *	52.0 *	43.2	44.0
Marijuana	12.4 *	27.6 *	20.3 *	17.6 *	14.4
Cocaine	1.8 *	1.7	4.3 *	2.9 *	2.1
Crack	1.4 *	2.0	3.4 *	2.6 *	1.8
Inhalants	9.3	8.0	11.3 *	9.9	9.5
Amphetamines	2.5	1.5 *	3.2	3.2	2.6
Methamphetamines	1.2 *	1.6	3.4 *	2.3 *	1.5
Ritalin/Adderall	4.1	2.7 *	4.2	4.2	4.1
Tranquilizers	8.2	8.2	11.0 *	9.3	8.6
Narcotics	4.3	3.1 *	4.6	6.0 *	4.5
Psychedelics#	2.2	2.0	3.3 *	3.2 *	2.4
LSD	1.8	1.6	2.6 *	2.6 *	2.0
Others	0.9	1.2	1.9 *	1.6 *	1.1
Heroin	1.1 *	1.6	2.9 *	2.4 *	1.4
Steroids	1.2 *	1.8	2.7 *	2.4 *	1.5
Injected drugs	1.4 *	1.2	2.7 *	2.6 *	1.7
MDMA	1.6 *	2.7	2.9 *	2.9 *	2.0
Rohypnol	0.8 *	1.2	1.8 *	1.5 *	1.0
GHB	0.5 *	0.9	1.4 *	1.3 *	0.7
Over the counter drugs	9.5	9.1	11.0	10.7	9.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	15.9 *	14.3 *	20.6 *	19.1 *	16.6
Cigars	10.0 *	9.5	14.3 *	12.4 *	10.6
Pipe	4.3	3.2 *	6.3 *	5.5 *	4.5
Smokeless Tobacco	6.6	2.7 *	6.3	6.9	6.4
Alcohol	35.1	38.8 *	42.9 *	33.6 *	35.7
Marijuana	10.0 *	21.7 *	15.9 *	14.7 *	11.6
Cocaine	1.3 *	1.5	3.5 *	2.0	1.5
Crack	1.1 *	1.2	2.7 *	1.8 *	1.3
Inhalants	6.4	5.2	7.5	6.4	6.4
Amphetamines	1.8	1.2 *	2.7 *	2.4	1.9
Methamphetamines	0.9 *	0.9	2.2 *	1.6 *	1.1
Ritalin/Adderall	2.9	2.2	3.1	2.6	2.8
Tranquilizers	6.1	5.8	7.9 *	6.5	6.3
Narcotics	3.0	2.3	3.2	4.0 *	3.1
Psychedelics#	1.7	1.2	2.2	2.7 *	1.8
LSD	1.3	1.1	2.1 *	2.1 *	1.5
Others	0.8	0.8	1.2	1.6 *	0.9
Heroin	0.8 *	1.2	1.9 *	1.5 *	1.0
Steroids	0.8 *	1.2	2.0 *	1.6 *	1.0
Injected drugs	1.1 *	1.3	2.5 *	1.8 *	1.3
MDMA	1.2 *	1.8	1.8	2.2 *	1.4
Rohypnol	0.6 *	0.8	1.3 *	1.3 *	0.7
GHB	0.4 *	0.6	1.0 *	1.1 *	0.5
Over the counter drugs	7.5	6.3	8.5	8.2	7.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	9.2 *	7.6 *	12.1 *	12.3 *	9.7
Cigars	5.7 *	5.8	8.6 *	7.6 *	6.2
Pipe	2.4	1.5 *	4.2 *	3.5 *	2.7
Smokeless Tobacco	3.7	1.4 *	4.4	4.4	3.7
Alcohol	18.1 *	20.6	25.7 *	18.7	18.8
Marijuana	6.0 *	13.1 *	10.4 *	9.3 *	7.1
Cocaine	0.7 *	0.7	2.1 *	1.4 *	0.9
Crack	0.6 *	0.8	2.2 *	1.2 *	0.8
Inhalants	3.2	2.6	4.2 *	3.6	3.3
Amphetamines	1.1	0.7	1.9 *	1.5	1.2
Methamphetamines	0.5 *	0.8	1.7 *	1.0 *	0.7
Ritalin/Adderall	1.6	1.4	2.1	2.0	1.7
Tranquilizers	3.5	3.6	5.0 *	4.0	3.7
Narcotics	1.7	1.3	2.2	2.4 *	1.8
Psychedelics#	0.8 *	0.9	1.8 *	1.7 *	1.0
LSD	0.7 *	0.7	1.6 *	1.4 *	0.9
Others	0.3 *	0.7	1.0 *	0.8 *	0.5
Heroin	0.5 *	0.7	1.5 *	1.1 *	0.6
Steroids	0.5 *	0.8	1.5 *	0.9	0.6
Injected drugs	0.7 *	0.9	1.9 *	1.3 *	0.8
MDMA	0.7 *	1.2	1.6 *	1.3 *	0.8
Rohypnol	0.4	0.6	0.9 *	0.8 *	0.5
GHB	0.2 *	0.6	1.0 *	0.6 *	0.3
Over the counter drugs	5.0	4.7	5.9	5.8	5.1

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

8th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	4.4	2.9 *	4.9	6.7 *	4.7
1/2+ Pack per Day	2.1	1.6	2.4	3.6 *	2.3
CIGARS					
	1.3	0.6 *	1.8	2.4 *	1.5
SMOKELESS TOBACCO					
	0.9	0.1 *	0.9	1.3 *	0.9
ALCOHOL					
Daily Use	1.3	1.2	3.7 *	1.8	1.5
Binge Drinking	10.8 *	14.2 *	22.2 *	13.7 *	12.2
MARIJUANA					
	1.4 *	3.1 *	2.2 *	2.7 *	1.7

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	31.3	28.6 *	37.0 *	34.5 *	32.0
Cigars	19.0	15.1 *	23.9 *	20.0	19.3
Pipe	9.0	4.6 *	10.6 *	10.3 *	9.1
Smokeless Tobacco	12.3	5.8 *	9.2 *	11.2	11.6
Alcohol	50.4	49.0	55.6 *	49.6	50.6
Marijuana	20.0 *	27.9 *	26.4 *	23.7 *	21.3
Cocaine	3.0 *	3.5	7.1 *	4.8 *	3.6
Crack	2.0 *	2.7	5.5 *	3.4 *	2.5
Inhalants	9.6	7.5 *	11.5 *	10.3	9.7
Amphetamines	5.1	2.9 *	5.2	5.2	5.1
Methamphetamines	1.6 *	2.5	3.6 *	3.1 *	2.0
Ritalin/Adderall	7.6	3.8 *	7.3	7.7	7.4
Tranquilizers	10.3	7.5 *	12.3 *	10.5	10.4
Narcotics	7.7	4.2 *	7.6	7.6	7.6
Psychedelics#	3.8	3.8	5.7 *	4.4	4.0
LSD	3.1	3.7	5.1 *	3.9	3.4
Others	1.7	1.9	2.5 *	2.2	1.8
Heroin	1.4 *	2.8 *	4.1 *	2.8 *	1.8
Steroids	1.3 *	2.5	3.0 *	2.5 *	1.7
Injected drugs	1.7 *	2.1	3.7 *	2.5 *	2.0
MDMA	2.9 *	3.6	5.0 *	4.3 *	3.3
Rohypnol	1.2 *	1.9	2.6 *	2.2 *	1.5
GHB	0.6 *	1.6 *	1.7 *	1.6 *	0.9
Over the counter drugs	11.8	8.7 *	11.6	12.5	11.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	22.4	15.6 *	24.1	24.3 *	22.5
Cigars	14.7	10.8 *	17.2 *	15.6	14.9
Pipe	7.4	4.6 *	8.5	8.1	7.5
Smokeless Tobacco	10.0	5.2 *	8.3	8.7	9.5
Alcohol	42.8	39.3 *	46.3 *	40.8 *	42.7
Marijuana	16.0 *	22.7 *	20.6 *	18.7 *	17.0
Cocaine	2.1 *	3.0	5.2 *	3.2 *	2.5
Crack	1.3 *	2.2	3.6 *	1.8	1.6
Inhalants	6.2	4.8	7.3	6.2	6.2
Amphetamines	3.7	1.8 *	4.0	3.6	3.6
Methamphetamines	1.2 *	1.5	2.7 *	2.1 *	1.4
Ritalin/Adderall	5.5	2.7 *	5.6	5.3	5.4
Tranquilizers	7.6	5.1 *	8.3	7.3	7.5
Narcotics	5.6	3.1 *	5.1	5.4	5.4
Psychedelics#	2.9	2.7	4.1 *	3.3	3.0
LSD	2.3	2.5	3.4 *	2.8	2.4
Others	1.5	1.6	2.1	1.9	1.6
Heroin	1.1	1.7	2.6 *	1.6	1.3
Steroids	1.0 *	2.2 *	2.4 *	1.7 *	1.2
Injected drugs	1.4 *	1.9	3.1 *	2.0	1.6
MDMA	2.1	2.8	3.0	3.0 *	2.3
Rohypnol	0.9	1.6	1.8 *	1.4	1.1
GHB	0.5 *	1.6 *	1.5 *	1.0	0.7
Over the counter drugs	9.2	6.4 *	8.8	8.8	9.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	14.7	9.0 *	14.7	16.5 *	14.7
Cigars	8.5	5.7 *	9.6	9.8 *	8.6
Pipe	4.2	2.8 *	5.6 *	5.2	4.4
Smokeless Tobacco	6.4	3.5 *	5.2	5.5	6.0
Alcohol	24.4	21.0 *	28.2 *	23.6	24.5
Marijuana	9.7 *	13.3 *	12.9 *	11.7 *	10.4
Cocaine	1.0 *	1.9	3.6 *	1.7	1.4
Crack	0.6 *	1.6 *	2.5 *	1.0	0.9
Inhalants	2.9	2.4	4.4 *	3.1	3.0
Amphetamines	2.1	1.5	2.4	2.1	2.1
Methamphetamines	0.7 *	1.2	1.7 *	1.3 *	0.9
Ritalin/Adderall	3.0	1.8 *	3.2	3.0	3.0
Tranquilizers	4.3	3.1	4.4	4.6	4.3
Narcotics	3.2	2.2	3.1	3.1	3.2
Psychedelics#	1.4	1.8	2.5 *	1.8	1.6
LSD	1.1	1.6	2.2 *	1.6	1.3
Others	0.8	1.2	1.1	0.9	0.8
Heroin	0.6	1.4 *	1.8 *	0.9	0.8
Steroids	0.6 *	1.5 *	1.8 *	1.1	0.8
Injected drugs	0.8 *	1.6 *	2.2 *	1.2	1.0
MDMA	1.1	1.8	2.1 *	1.4	1.3
Rohypnol	0.5	1.1	1.1 *	0.6	0.6
GHB	0.3	1.2 *	0.9 *	0.6	0.4
Over the counter drugs	5.8	4.5	5.4	5.6	5.7

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

9th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	8.2	4.8 *	7.1	8.8	8.1
1/2+ Pack per Day	4.2	2.8 *	3.7	4.8	4.2
CIGARS	2.4	1.3	2.1	2.4	2.3
SMOKELESS TOBACCO	2.0	1.4	1.1 *	1.9	1.9
ALCOHOL					
Daily Use	2.2	3.2	4.2 *	2.8	2.5
Binge Drinking	15.4	14.3	22.6 *	17.1	16.2
MARIJUANA	2.8	3.1	3.8 *	3.9 *	3.1

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	38.5	32.8 *	42.8 *	42.6 *	39.1
Cigars	25.9	16.3 *	27.2	28.1 *	25.9
Pipe	12.4	7.4 *	13.1	15.3 *	12.6
Smokeless Tobacco	16.3 *	6.7 *	11.5 *	15.3	15.4
Alcohol	58.8	55.9	62.6 *	57.3	58.7
Marijuana	26.5 *	37.9 *	31.3 *	33.3 *	28.3
Cocaine	4.2 *	4.1	8.6 *	6.9 *	4.9
Crack	2.2 *	3.3	5.3 *	4.5 *	2.7
Inhalants	9.9	6.1 *	10.6	10.9	9.9
Amphetamines	7.2	3.7 *	8.0	8.9 *	7.3
Methamphetamines	2.0 *	2.5	4.6 *	3.9 *	2.5
Ritalin/Adderall	9.9	5.6 *	11.4	11.3 *	10.0
Tranquilizers	11.8	6.9 *	14.0 *	14.3 *	12.1
Narcotics	10.0	6.6 *	10.6	12.9 *	10.3
Psychedelics#	4.7 *	3.9	6.5 *	7.3 *	5.2
LSD	3.9 *	3.4	5.7 *	6.0 *	4.3
Others	2.4 *	2.4	3.8 *	4.1 *	2.7
Heroin	1.6 *	2.9	4.3 *	3.5 *	2.1
Steroids	1.5 *	2.4	3.8 *	3.6 *	2.0
Injected drugs	1.7 *	2.6	4.0 *	3.5 *	2.1
MDMA	4.0 *	4.5	6.9 *	5.8 *	4.4
Rohypnol	1.4 *	2.2	3.4 *	2.8 *	1.8
GHB	0.8 *	1.7	2.6 *	2.4 *	1.2
Over the counter drugs	13.6	11.2 *	15.0	16.0 *	13.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	27.9	18.1 *	28.9	30.4 *	27.9
Cigars	20.5	12.5 *	19.7	21.8 *	20.3
Pipe	10.1	6.0 *	10.1	12.6 *	10.3
Smokeless Tobacco	12.9 *	4.9 *	8.7 *	12.4	12.2
Alcohol	50.6	46.4 *	52.5	47.8 *	50.2
Marijuana	21.1 *	30.3 *	23.9	25.9 *	22.3
Cocaine	3.0 *	3.2	6.3 *	4.8 *	3.4
Crack	1.5 *	2.2	4.2 *	2.8 *	1.9
Inhalants	5.4	3.7 *	6.6	6.4 *	5.5
Amphetamines	5.2	2.6 *	5.1	6.0 *	5.2
Methamphetamines	1.4 *	1.6	2.9 *	2.4 *	1.6
Ritalin/Adderall	6.9	3.8 *	7.4	7.6	6.9
Tranquilizers	8.5	5.1 *	9.7	10.0 *	8.6
Narcotics	7.0	4.8 *	6.4	8.7 *	7.1
Psychedelics#	3.4	2.9	5.0 *	5.0 *	3.7
LSD	2.6	2.7	4.5 *	3.9 *	2.9
Others	1.8	1.8	2.9 *	3.1 *	2.0
Heroin	1.1 *	1.8	2.7 *	2.4 *	1.4
Steroids	1.1 *	1.8	2.7 *	2.3 *	1.4
Injected drugs	1.3 *	2.3	3.4 *	2.9 *	1.7
MDMA	2.7 *	3.2	4.8 *	3.9 *	3.0
Rohypnol	0.9 *	1.7	2.2 *	1.8 *	1.2
GHB	0.6 *	1.0	2.1 *	1.8 *	0.9
Over the counter drugs	10.0	7.6 *	9.5	10.9	10.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	18.7	10.3 *	19.9	21.1 *	18.7
Cigars	11.8	7.6 *	11.8	13.1 *	11.8
Pipe	5.4	3.3 *	6.6	7.2 *	5.6
Smokeless Tobacco	7.8	3.1 *	6.1 *	7.7	7.5
Alcohol	28.4	26.0	31.8 *	28.1	28.4
Marijuana	12.4 *	18.5 *	16.2 *	16.6 *	13.5
Cocaine	1.5 *	2.3	3.4 *	2.3 *	1.7
Crack	0.8 *	1.8 *	2.5 *	1.8 *	1.1
Inhalants	2.4	2.6	3.9 *	3.1	2.6
Amphetamines	2.6	1.7 *	3.3	3.2	2.7
Methamphetamines	0.7 *	1.2	2.5 *	1.7 *	1.0
Ritalin/Adderall	3.4	2.1 *	4.3	4.1	3.5
Tranquilizers	4.3	3.0 *	5.6 *	5.2 *	4.5
Narcotics	3.8	3.1	4.6	5.3 *	4.0
Psychedelics#	1.7	2.1	3.0 *	2.6 *	1.9
LSD	1.3 *	1.9	2.8 *	2.2 *	1.5
Others	0.9	1.2	1.8 *	1.6 *	1.0
Heroin	0.6 *	1.3	2.4 *	1.9 *	1.0
Steroids	0.6 *	1.5	2.5 *	1.8 *	0.9
Injected drugs	0.8 *	2.0 *	2.8 *	2.2 *	1.2
MDMA	1.4 *	2.1	2.7 *	2.4 *	1.6
Rohypnol	0.5 *	1.1	1.5 *	1.3 *	0.7
GHB	0.4 *	0.9	1.7 *	1.2 *	0.6
Over the counter drugs	5.8	5.0	6.3	6.6	5.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

10th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	10.6	6.3 *	10.5	13.2 *	10.8
1/2+ Pack per Day	5.8	3.2 *	5.7	7.9 *	6.0
CIGARS					
	3.1	1.7 *	2.1 *	3.8 *	3.1
SMOKELESS TOBACCO					
	3.0	1.0 *	1.9 *	3.0	2.9
ALCOHOL					
Daily Use	2.6	2.8	3.6 *	3.8 *	2.8
Binge Drinking	18.6 *	18.6	26.6 *	21.5 *	19.5
MARIJUANA					
	3.8	5.2 *	4.6	5.2 *	4.1

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	42.9	36.8 *	49.0 *	44.0	43.2
Cigars	30.8	19.5 *	33.2	31.6	30.6
Pipe	16.7	9.7 *	19.2 *	17.4	16.7
Smokeless Tobacco	18.2	6.8 *	13.6 *	17.4	17.3
Alcohol	62.6	59.6	67.5 *	59.9 *	62.4
Marijuana	31.2 *	40.8 *	37.3 *	34.3	32.4
Cocaine	5.7 *	5.7	11.8 *	7.5 *	6.3
Crack	2.5 *	3.2	6.6 *	4.2 *	3.0
Inhalants	9.1	5.6 *	9.9	11.1 *	9.3
Amphetamines	8.7	3.9 *	9.5	9.9	8.7
Methamphetamines	2.2 *	2.0	5.9 *	4.2 *	2.8
Ritalin/Adderall	11.8	5.0 *	11.5	12.1	11.6
Tranquilizers	12.2	7.6 *	17.3 *	14.1 *	12.6
Narcotics	11.3	6.7 *	12.5	13.0 *	11.5
Psychedelics#	5.7	3.3 *	7.8 *	7.8 *	6.0
LSD	4.4	3.0 *	6.8 *	6.4 *	4.8
Others	3.2	1.7 *	4.9 *	4.6 *	3.5
Heroin	1.5 *	2.0	4.6 *	3.2 *	2.0
Steroids	1.4 *	2.1	3.8 *	2.7 *	1.8
Injected drugs	1.5 *	3.5 *	4.1 *	2.9 *	2.0
MDMA	4.4 *	4.8	8.4 *	6.8 *	5.0
Rohypnol	1.3 *	1.5	4.0 *	2.4 *	1.7
GHB	1.0	1.2	3.0 *	1.5	1.2
Over the counter drugs	13.2	10.1 *	14.3	14.2	13.3

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	31.6	20.6 *	32.6	31.9	31.3
Cigars	24.5	13.6 *	23.9	23.6	23.9
Pipe	13.6	8.0 *	15.0	13.5	13.5
Smokeless Tobacco	14.3 *	4.7 *	9.5 *	12.8	13.4
Alcohol	53.8	49.8	56.1	49.7 *	53.1
Marijuana	24.5	30.0 *	26.4	26.5	25.1
Cocaine	3.9	3.8	7.2 *	4.7	4.2
Crack	1.5 *	2.1	4.1 *	2.5 *	1.9
Inhalants	4.4	2.6 *	5.7	5.8 *	4.7
Amphetamines	5.6	2.3 *	5.5	6.5	5.6
Methamphetamines	1.4 *	1.7	3.1 *	2.7 *	1.8
Ritalin/Adderall	7.7	3.2 *	7.2	7.6	7.5
Tranquilizers	8.2	4.7 *	10.3 *	9.4	8.4
Narcotics	7.6	4.4 *	7.6	8.4	7.6
Psychedelics#	4.1	2.9	4.5	5.3 *	4.3
LSD	2.9	2.6	3.8	4.1 *	3.1
Others	2.6	1.8	3.0	3.3	2.7
Heroin	1.0 *	1.8	2.5 *	2.1 *	1.3
Steroids	0.9 *	2.1 *	2.3 *	1.9 *	1.2
Injected drugs	1.1 *	3.2 *	3.8 *	2.2 *	1.5
MDMA	2.8	3.8	5.1 *	4.2 *	3.2
Rohypnol	0.8 *	1.5	2.3 *	1.8 *	1.1
GHB	0.6	1.2	1.9 *	1.2	0.8
Over the counter drugs	9.0	7.6	9.3	9.1	9.0

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	21.3	12.6 *	21.4	23.4 *	21.3
Cigars	13.8	9.1 *	14.2	13.7	13.6
Pipe	6.9	4.7 *	8.9 *	7.3	7.0
Smokeless Tobacco	8.6	3.2 *	6.1 *	8.4	8.2
Alcohol	32.0	27.2 *	33.5	30.7	31.7
Marijuana	13.9	19.1 *	16.6	16.1 *	14.6
Cocaine	1.4 *	2.6	4.2 *	2.9 *	1.8
Crack	0.7 *	1.7	2.4 *	1.7 *	1.0
Inhalants	1.7	2.0	3.1 *	2.4	1.9
Amphetamines	2.8	2.0	3.6	2.9	2.8
Methamphetamines	0.6 *	1.7	2.3 *	1.6 *	0.9
Ritalin/Adderall	3.5	1.8 *	3.6	3.4	3.4
Tranquilizers	4.0	3.0	5.7 *	5.0	4.2
Narcotics	3.8	2.7	3.7	4.3	3.8
Psychedelics#	1.6	1.8	2.7	2.9 *	1.9
LSD	1.2	1.7	2.2 *	2.2 *	1.4
Others	0.8	1.1	1.9 *	1.5 *	1.0
Heroin	0.6	1.4	1.5 *	1.1 *	0.7
Steroids	0.5 *	1.4	1.9 *	1.2 *	0.7
Injected drugs	0.8 *	2.6 *	2.3 *	1.7 *	1.1
MDMA	1.2	2.3	2.5 *	2.1 *	1.5
Rohypnol	0.4	1.1	1.6 *	0.7	0.5
GHB	0.3	1.1 *	1.5 *	0.5	0.4
Over the counter drugs	4.4	5.0	6.1 *	5.3	4.6

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

11th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	13.3	7.1 *	10.9 *	15.1 *	13.2
1/2+ Pack per Day	7.5	2.7 *	5.7	8.2	7.3
CIGARS	3.7	2.9	4.1	3.5	3.6
SMOKELESS TOBACCO	3.8	1.8 *	2.0 *	3.7	3.6
ALCOHOL					
Daily Use	3.1	5.0 *	4.0	4.2 *	3.4
Binge Drinking	21.7	17.7 *	27.4 *	25.4 *	22.5
MARIJUANA	4.8	7.7 *	5.0	6.3 *	5.2

NOTES: * Statistically significant differences from the Indiana rates (p < .05).

Lifetime Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	48.2	37.7 *	51.7 *	49.7	48.2
Cigars	38.7	20.9 *	36.7	38.2	37.8
Pipe	23.1	9.5 *	22.9	23.6	22.6
Smokeless Tobacco	21.2 *	5.5 *	14.2 *	20.5	20.1
Alcohol	69.0	64.9	70.6	65.6 *	68.5
Marijuana	35.4	44.8 *	40.4 *	38.5	36.5
Cocaine	6.8	4.3 *	12.5 *	9.2 *	7.4
Crack	2.6 *	3.5	7.1 *	4.6 *	3.1
Inhalants	8.9	5.0 *	10.2	10.0	9.0
Amphetamines	9.3	3.7 *	10.2	10.5	9.3
Methamphetamines	2.2 *	2.7	5.8 *	3.9 *	2.7
Ritalin/Adderall	11.9	5.6 *	12.6	12.9	11.8
Tranquilizers	12.4	6.4 *	16.4 *	12.7	12.4
Narcotics	12.3	5.5 *	14.2	13.7	12.4
Psychedelics#	5.9	3.5 *	10.2 *	8.7 *	6.4
LSD	4.3 *	3.0 *	8.0 *	6.9 *	4.8
Others	3.7	2.3 *	6.6 *	4.9 *	4.0
Heroin	1.6 *	2.7	5.1 *	3.1 *	2.0
Steroids	1.4 *	2.3	4.7 *	3.4 *	1.9
Injected drugs	1.4 *	1.8	5.1 *	2.4 *	1.7
MDMA	4.8 *	4.0	9.7 *	7.6 *	5.5
Rohypnol	1.1 *	1.8	4.9 *	2.2 *	1.5
GHB	0.8 *	1.8	4.3 *	1.7 *	1.2
Over the counter drugs	12.8	7.0 *	16.0 *	13.9	12.9

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Annual Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	36.7	17.8 *	34.0	37.0	35.8
Cigars	31.5	15.2 *	27.8	31.0	30.6
Pipe	19.3	7.0 *	18.1	18.7	18.7
Smokeless Tobacco	16.6 *	3.5 *	10.0 *	15.5	15.6
Alcohol	60.7	53.0 *	60.6	56.5 *	59.8
Marijuana	26.3	33.7 *	29.6	28.9	27.1
Cocaine	4.2	2.9 *	8.1 *	6.0 *	4.6
Crack	1.5 *	2.6	4.8 *	2.7 *	1.9
Inhalants	4.1	2.9	5.8 *	4.6	4.2
Amphetamines	5.7	2.9 *	6.3	5.9	5.6
Methamphetamines	1.4 *	2.6	3.8 *	2.6 *	1.8
Ritalin/Adderall	7.3	4.1 *	7.5	7.3	7.2
Tranquilizers	8.0	4.7 *	9.7	8.0	7.9
Narcotics	8.2	4.0 *	9.0	8.5	8.1
Psychedelics#	4.1	3.7	6.9 *	5.3 *	4.4
LSD	2.7	2.6	5.1 *	4.1 *	3.0
Others	2.7	2.9	5.1 *	3.4	2.9
Heroin	1.1 *	2.0	3.6 *	2.3 *	1.4
Steroids	1.0 *	1.4	3.4 *	2.3 *	1.3
Injected drugs	1.0 *	1.7	4.4 *	2.3 *	1.4
MDMA	3.1 *	3.5	6.0 *	4.8 *	3.5
Rohypnol	0.6 *	2.0 *	3.4 *	1.4 *	0.9
GHB	0.5 *	1.8 *	3.4 *	1.4 *	0.9
Over the counter drugs	8.3	5.8 *	9.4	8.1	8.2

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Monthly Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
Cigarettes	25.3	12.5 *	23.5	26.3	24.8
Cigars	18.1	10.5 *	15.4	18.3	17.7
Pipe	10.3	4.0 *	10.0	10.5	10.1
Smokeless Tobacco	10.5	2.1 *	6.2 *	9.9	9.8
Alcohol	39.0	29.9 *	39.1	37.1	38.4
Marijuana	15.5	21.2 *	18.6	17.9 *	16.2
Cocaine	1.7 *	2.0	4.4 *	3.3 *	2.0
Crack	0.7 *	1.5	3.4 *	1.9 *	1.0
Inhalants	1.3	1.7	3.4 *	2.4 *	1.6
Amphetamines	2.5	2.0	3.5	2.8	2.6
Methamphetamines	0.7 *	1.8 *	2.5 *	1.4 *	0.9
Ritalin/Adderall	3.2	2.9	4.3	3.4	3.3
Tranquilizers	3.9	3.4	5.2	4.1	4.0
Narcotics	3.9	2.7	5.4 *	4.2	4.0
Psychedelics#	1.5	2.3	3.0 *	2.3	1.8
LSD	1.1	1.7	2.7 *	1.8 *	1.3
Others	0.9	2.0 *	2.2 *	1.5	1.1
Heroin	0.6 *	1.4	2.5 *	1.7 *	0.8
Steroids	0.6 *	1.1	2.6 *	1.7 *	0.9
Injected drugs	0.8 *	1.4	3.9 *	2.0 *	1.2
MDMA	1.3 *	2.6 *	3.3 *	2.2 *	1.6
Rohypnol	0.4 *	1.4 *	2.6 *	1.0 *	0.6
GHB	0.3 *	1.5 *	2.5 *	0.8	0.6
Over the counter drugs	4.2	3.5	6.0 *	4.4	4.3

NOTES: # Psychedelic rate computed by analyses of responses indicating either LSD or Other Psychedelics use, or endorsement of both.
* Statistically significant differences from the Indiana rates ($p < .05$).

Daily and Special Use of Alcohol, Tobacco, and Other Drugs, 2008
(Values expressed as percentages)

12th Grade

DRUG	White	Black	Hispanic	Other	Indiana
CIGARETTES					
Daily Use	15.3	7.5 *	12.3 *	16.6 *	15.0
1/2+ Pack per Day	8.7	3.4 *	7.9	9.6	8.6
CIGARS					
	4.2	2.4	3.3	4.4	4.1
SMOKELESS TOBACCO					
	5.0 *	0.3 *	2.0 *	4.9	4.6
ALCOHOL					
Daily Use	4.0	2.0 *	4.7	5.1 *	4.1
Binge Drinking	26.8	20.9 *	30.3 *	28.3	26.9
MARIJUANA					
	5.2	6.6	5.8	6.5 *	5.5

NOTES: * Statistically significant differences from the Indiana rates (p < .05).